


IKS LARGE



✓ Designed according
UNI 1729-1 / UNI EN 1729-2

Scocca in poliuretano rigido.
Rigid polyurethane shell.

Shell weight: 2,80 kg

 Volume: 0,48 m³
Weight: 88,1 kg

Colori disponibili *Colours available*

minimum order quantity:
60 pieces

 RAL 7021
Cod. 05435

 RAL 7015
Cod. 05436

 RAL 5000
Cod. 05437

 RAL 6005
Cod. 05439

 RAL 6018
Cod. 05440

 RAL 3000
Cod. 05441

 RAL 2003
Cod. 05442

 RAL 2002
Cod. 06872

Basi - Bases

BAS045



Base a 4 gambe in tubo d'acciaio
cromata.

4 legs chromed tubular steel base.

Weight
2,3 kg



Volume: 0,28 m³
Weight: 24,4 kg

minimum order quantity:
30 pieces

BAS046



Base a 4 gambe in tubo d'acciaio
verniciata nero.

4 legs black painted tubular steel base.

Weight
2,3 kg



Volume: 0,28 m³
Weight: 13,0 kg

minimum order quantity:
30 pieces

BAS047



Base a 4 gambe in tubo d'acciaio
cromata con braccioli. Braccioli da
ordinare separatamente.

*4 legs chromed tubular steel base with
armrests. Armrests to be ordered
separately.*


Weight
3,8 kg



Volume: 0,42 m³
Weight: 38,5 kg

minimum order quantity:
60 pieces

IDIKS-045




Weight
5,1 kg



Volume: 0,51 m³
Weight: 22,7 kg

Minimum order quantity:
60 pieces

IDIKS-046




Weight
5,1 kg



Volume: 0,51 m³
Weight: 22,7 kg

Minimum order quantity:
60 pieces

IDIKS-047



Weight
6,4 kg



Volume: 0,51 m³
Weight: 28,1 kg


Minimum order quantity:
60 pieces

Dimensions in mm



IKS

IKS MEDIUM



✓ Designed according
UNI 1729-1 / UNI EN 1729-2

Scocca in poliuretano rigido.
Rigid polyurethane shell.

Shell weight: 2,00 kg

 Volume: 0,48 m³
Weight: 74,1 kg

Colori disponibili
Colours available

minimum order quantity:
70 pieces

 RAL 7021
Cod. 06732

 RAL 7015
Cod. 05227

 RAL 5000
Cod. 05226

 RAL 6005
Cod. 05228

 RAL 6018
Cod. 05323

 RAL 3000
Cod. 05229

 RAL 2003
Cod. 05225

 RAL 2002
Cod. 06873

Basi - *Bases*

BAS133



Base a cantilever in tubo d'acciaio
verniciata grigio.

Grey painted tubular steel cantilever.


Weight
3,4 kg



Volume: 0,31 m³
Weight: 52,9 kg

minimum order quantity:
70 pieces

IDIKS-133



Weight
5,4 kg



Volume: 0,51 m³
Weight: 27,1 kg


Minimum order quantity:
70 pieces

Dimensions in mm



IKS

IKS SMALL



✓ Designed according
UNI 1729-1 / UNI EN 1729-2

Scocca in poliuretano rigido.
Rigid polyurethane shell.

Shell weight: 1,1 kg

 Volume: 0,31 m³
Weight: 23,9 kg

Colori disponibili
Colours available

minimum order quantity:
80 pieces

 RAL 7021
Cod. 06795

 RAL 7015
Cod. 05232

 RAL 5000
Cod. 05231

 RAL 6005
Cod. 05233

 RAL 6018
Cod. 05324

 RAL 3000
Cod. 05234

 RAL 2003
Cod. 05230

 RAL 2002
Cod. 06878

Basi - *Bases*

BAS132



Base a cantilever in tubo d'acciaio
verniciata grigio.

Grey painted tubular steel cantilever.


Weight
2,2 kg



Volume: 0,31 m³
Weight: 45,9 kg

minimum order quantity:
80 pieces

IDIKS-132



Weight
3,3 kg



Volume: 0,51 m³
Weight: 15,7 kg

Minimum order quantity:
80 pieces

Dimensions in mm



IKS