

## VICKY PURE

Componente  
non rivestito

*Not upholstered  
component*




Scocca stampata in poliuretano  
flessibile con inserto in  
poliuretano rigido.

*Moulded flexible polyurethane  
shell with rigid polyurethane  
frame .*

Ilpoflex CB foam  
Cod. 08603  
Ilpoflex BS foam  
Cod. 08604

Shell weight: 5,95 kg


 Volume: 0,22 m<sup>3</sup>  
Weight: 8,45 kg

Standard order quantity:  
8 pieces

Prodotto finito  
rivestito in:

*Finished product  
upholstered in:*

CAT. A  
CAT. B  
CAT. C  
CAT. D  
C.O.M.

 Fabric consumption  
1,2 m

## Basi - Bases

BAS097



Base a 4 gambe in legno di faggio  
verniciata naturale.

*4 legs natural painted beech basewood.*

Weight  
2,9 kg



Volume: 0,22 m<sup>3</sup>  
Weight: 14,0 kg

minimum order quantity:  
8 pieces

BAS102



Base in legno di frassino verniciata  
naturale girevole, 3°.

*Natural painted ash wood swivel base, 3°.*

Weight  
3,3 kg



Volume: 0,22 m<sup>3</sup>  
Weight: 15,7 kg

minimum order quantity:  
4 pieces

BAS069



Base a 4 gambe in legno di faggio  
verniciata naturale.

*4 legs solid natural painted beech base.*

Weight  
2,7 kg



Volume: 0,22 m<sup>3</sup>  
Weight: 13,3 kg

minimum order quantity:  
4 pieces

BAS092



Base a 4 gambe in legno di faggio grezza.

*4 legs solid raw beech base.*

Weight  
2,7 kg



Volume: 0,22 m<sup>3</sup>  
Weight: 13,3 kg

minimum order quantity:  
4 pieces

BAS025



Base in tubo d'acciaio conificato cromata  
girevole 3°.

*Chromed tapered steel swivel base 3°.*

Weight  
3,6 kg




Volume: 0,22 m<sup>3</sup>  
Weight: 17,0 kg

minimum order quantity:  
4 pieces

## Prodotto finito - Finished products

IDVICKYPURE-097




Weight  
8,9 kg



Volume: 0,46 m<sup>3</sup>  
Weight: 12,1 kg

Minimum order quantity:  
8 pieces

IDVICKYPURE-102




Weight  
8,6 kg



Volume: 0,46 m<sup>3</sup>  
Weight: 11,8 kg

Minimum order quantity:  
8 pieces

IDVICKYPURE-069




Weight  
8,7 kg



Volume: 0,46 m<sup>3</sup>  
Weight: 11,9 kg

Minimum order quantity:  
8 pieces

IDVICKYPURE-092




Weight  
8,7 kg



Volume: 0,46 m<sup>3</sup>  
Weight: 11,9 kg

Minimum order quantity:  
8 pieces

IDVICKYPURE-025



Weight  
9,7 kg



Volume: 0,46 m<sup>3</sup>  
Weight: 12,9 kg

Minimum order quantity:  
8 pieces


Dimensions in mm



VICKY PURE

## VICKY PURE

Componente  
non rivestito  
*Not upholstered  
component*




Scocca stampata in poliuretano  
flessibile con inserto in  
poliuretano rigido.

*Moulded flexible polyurethane  
shell with rigid polyurethane  
frame .*

Ilpoflex CB foam  
Cod. 08603  
Ilpoflex BS foam  
Cod. 08604

Shell weight: 5,95 kg


 Volume: 0,22 m<sup>3</sup>  
Weight: 8,45 kg

Standard order quantity:  
8 pieces

Prodotto finito  
rivestito in:

*Finished product  
upholstered in:*

CAT. A  
CAT. B  
CAT. C  
CAT. D  
C.O.M.

 Fabric consumption  
1,2 m

## Basi - Bases

BAS002



Base a 5 razze in alluminio lucida girevole  
con ruote, regolabile in altezza, 3°.

*5 spoke aluminum swivel base with  
castors, adjustable height, 3°.*

Weight  
4,3 kg



Volume: 0,05 m<sup>3</sup>  
Weight: 5,0 kg

minimum order quantity:  
2 pieces

BAS073



Base a disco in acciaio inox 430  
spazzolata autoallineante, 3°.

*Disc self-aligning base, brushed stainless  
steel 430, 3°*

Weight  
11,2 kg



Volume: 0,05 m<sup>3</sup>  
Weight: 11,9 kg

minimum order quantity:  
2 pieces

BAS017



Base a 4 razze in alluminio autoallineante,  
3°.

*4 spoke aluminum self-aligning base, 3°.*

Weight  
3,7 kg



Volume: 0,05 m<sup>3</sup>  
Weight: 4,4 kg

minimum order quantity:  
4 pieces

BAS104



Base a 4 razze in acciaio cromata  
girevole, 3°.

*4 spoke chromed steel swivel base, 3°.*

Weight  
4,3 kg



Volume: 0,22 m<sup>3</sup>  
Weight: 19,4 kg

minimum order quantity:  
4 pieces

BAS113



Base a 4 lame in acciaio verniciata nero  
girevole, 3°.

*4 spoke black painted swivel steel base,  
3°.*

Weight  
4,3 kg



Volume: 0,22 m<sup>3</sup>  
Weight: 19,4 kg

minimum order quantity:  
4 pieces

BAS106



Base in tubo d'acciaio cromata girevole,  
3°.

*Chromed tubular steel swivel base, 3°.*

Weight  
2,8 kg



Volume: 0,22 m<sup>3</sup>  
Weight: 13,4 kg

minimum order quantity:  
4 pieces

BAS103



Base in tubo d'acciaio verniciata nero  
girevole, 3°.

*Black painted tubular steel swivel base,  
3°.*

Weight  
2,8 kg




Volume: 0,22 m<sup>3</sup>  
Weight: 13,4 kg

minimum order quantity:  
4 pieces

## Prodotto finito - Finished products

IDVICKYPURE-002




Weight  
10,2 kg



Volume: 0,46 m<sup>3</sup>  
Weight: 13,4 kg

Minimum order quantity:  
8 pieces

IDVICKYPURE-073




Weight  
18,7 kg



Volume: 0,46 m<sup>3</sup>  
Weight: 21,9 kg

Minimum order quantity:  
8 pieces

IDVICKYPURE-017




Weight  
10,1 kg



Volume: 0,46 m<sup>3</sup>  
Weight: 13,3 kg

Minimum order quantity:  
8 pieces

IDVICKYPURE-104




Weight  
9,7 kg



Volume: 0,46 m<sup>3</sup>  
Weight: 12,9 kg

Minimum order quantity:  
8 pieces

IDVICKYPURE-113




Weight  
9,5 kg



Volume: 0,46 m<sup>3</sup>  
Weight: 12,7 kg

Minimum order quantity:  
8 pieces

IDVICKYPURE-106




Weight  
8,9 kg



Volume: 0,46 m<sup>3</sup>  
Weight: 12,1 kg

Minimum order quantity:  
8 pieces

IDVICKYPURE-103



Weight  
8,9 kg



Volume: 0,46 m<sup>3</sup>  
Weight: 12,1 kg

Minimum order quantity:  
8 pieces

Dimensions in mm



VICKY PURE